

April 23, 2001

Ms. Grisell V. Diaz-Cotto
Emergency and Remedial Response Division
United States Environmental Protection Agency
Region III
290 Broadway, 19th Floor
New York, NY 10007-1866

Re: March 2001 Discharge Monitoring Report
Leachate Treatment Plant, Operable Unit 1
Kin-Buc Landfill Superfund Site

Dear Ms. Diaz-Cotto:

The March 2001 Discharge Monitoring Report (DMR) for the Leachate Treatment Plant of Operable Unit 1, Kin-Buc Landfill Superfund Site, prepared by U.S. Filter Operating Services is attached. We will provide copies of the DMR to Ian Curtis and Susan Dietrick at the NJDEP.

Should you have any questions concerning the DMR or other site items, please contact me or Glenn Grieb at the Kin-Buc site.

Very truly yours,
USFilter Operating Services
On behalf of SCA Services, Inc.,



Dennis J. Duryea, P.E.
Area Manager

DJD\plb

Enclosure

cc: Ian Curtis - NJDEP
Susan Dietrick - NJDEP
Stephen Joyce - SCA
Carl Januszkiewicz - Waste Management
Glenn Grieb - USFOS, Kin-Buc
File



NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATER QUALITY

MONITORING REPORT - TRANSMITTAL SHEET

NJPDDES NO.

*						
---	--	--	--	--	--	--

*NJ Permit Equivalent

REPORTING PERIOD

M	o.	Y	r.	M	o.	Y	r.
0	4	0	0	0	4	0	0

PERMITTEE: Name: SCA Services, Inc.
Address: 383 Meadow Road
Edison, New Jersey 08817

FACILITY: Name: Kin-Buc Landfill
Address: 383 Meadow Road
Edison, New Jersey 08817
Telephone: 732-572-4743

FORMS ATTACHED (Indicate Quantity ___ of Each)

Operating Exceptions ___

SLUDGE REPORT-SANITARY

___ T-VWX-007 ___ T-VWX-008 ___ T-VWX-009
___ EPA Form 3320-1

DYE TESTING YES NO
___ X

SLUDGE REPORT-INDUSTRIAL

___ T-VWX-010A ___ T-VWX-010B

TEMPORARY BYPASSING ___ X

DISINFECTION INTERRUPTION ___ X

WASTEWATER REPORTS

___ T-VWX-011 ___ T-VWX-012 ___ T-VWX-013

MONITORING MALFUNCTIONS ___ X

UNITS OF OPERATION ___ X

GROUNDWATER REPORTS

___ T-VWX-015(A,B) ___ T-VWX-016 ___ T-VWX-017
___ ELECTRONIC SUBMISSION

OTHER ___ X

NPDES DISCHARGE MONITORING

___ EPA Form 3320-1

(Detail any "Yes" on reverse side in appropriate space.)

NOTE: The "Hours Attended at Plant" on the reverse of this sheet must also be completed.

AUTHENTICATION I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

LICENSED OPERATOR

**PRINCIPAL EXECUTIVE OFFICER OR
DULY AUTHORIZED REPRESENTATIVE**

Name (Printed) Dennis J. Duryea
Grade & Registry No. N-4 ; 0014528
Signature _____

Name (Printed) Dennis J. Duryea
Title (Printed) Plant Operations Manager
Signature _____

Date April 23, 2001

[illegible]

MONTH	0	3	YEAR	0	1
-------	---	---	------	---	---

Others

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
8	8		4	8	10	8	8	8	8	4	8	8	8	10	8
16	16	4	4	16	8	16	16	12	8	4	16	16	16	8	16
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
		8	8	8	8	8		4	8	8	8	8	8		
8	4	16	16	17	8	16	8	8	16	20	16	16	16		

PERMITTEE NAME/ADDRESS
NAME
ADDRESS

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY
LOCATION
ATTN:

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
03	01	01		03	31	01

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.015982	0.033446	MGD	*****	*****	*****	***		continuous	flow meter
	PERMIT REQUIREMENT	REPORT	ONLY		*****	*****	*****			continuous	flow meter
pH	SAMPLE MEASUREMENT			***	8.0		8.40	S.U.	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		6.0	*****	9.0			weekly	grab
PETROLEUM HYDROCARBONS	SAMPLE MEASUREMENT			***	*****	<0.50	<0.50	mg/l	0	2/month	grab
	PERMIT REQUIREMENT	*****	*****		*****	10	15			2/month	grab
COD	SAMPLE MEASUREMENT	14.42	16.92 *	kg/day	*****	147	177	mg/l		2/month	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT	ONLY			2/month	comp.
BOD - 5	SAMPLE MEASUREMENT			***		<2.00	<2.00	mg/l	1	2/month	calc.
	PERMIT REQUIREMENT	*****	*****		*****	56	220			2/month	calc.
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT	<0.0873	<0.1183	kg/day	*****	<1.00	<1.00	mg/l	0	1/week	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	30	45(1)			weekly	comp.
DISSOLVED OXYGEN	SAMPLE MEASUREMENT			***	11.2		13.2	mg/l	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		INSTANT	*****	*****			weekly	grab
NAME/TITLE: PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE	
Dennis J. Duryea, P.E. Area Manager						732 572-4743		01 04 23			
TYPED OR PRINTED						AREA CODE		NUMBER		YEAR MO DAY	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									

PERMITTEE NAME/ADDRESS

NAME
ADDRESS

FACILITY
LOCATION
ATTN:

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
03	01	01		03	01	01

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
BENZENE	SAMPLE MEASUREMENT	<0.00022	<0.00027	kg/day	*****	<2.3	<2.3	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.009	0.02		*****	57	134			2/month	grab	
CHLOROBENZENE	SAMPLE MEASUREMENT	<0.00027	<0.00033	kg/day	*****	<2.8	<2.8	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.022	0.058		*****	142	380			2/month	grab	
1,1 DICHLOROETHENE	SAMPLE MEASUREMENT	<0.00027	<0.00033	kg/day	*****	<2.8	<2.8	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.003	0.009		*****	22	59			2/month	grab	
ETHYLBENZENE	SAMPLE MEASUREMENT	<0.00027	<0.00033	kg/day	*****	<2.8	<2.8	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.022	0.058		*****	142	380			2/month	grab	
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT	<0.00030	<0.00036	kg/day	*****	<3.1	<3.1	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.008	0.025		*****	52	164			2/month	grab	
TOLUENE	SAMPLE MEASUREMENT	<0.00043	<0.00052	kg/day	*****	<4.4	<4.4	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.004			*****	28	74			2/month	grab	
1,2-TRANSDICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.00024	<0.00029	kg/day	*****	<2.5	<2.5	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.004	0.009		*****	25	60			2/month	grab	
NAME/TITLE: PRINCIPAL EXECUTIVE OFFICER		<small>I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)</small>				TELEPHONE		DATE				
Dennis J. Duryea, P.E. Area Manager						732 572-4743		01 04 23				
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				732	572-4743	AREA CODE	NUMBER	YEAR	MO	DAY
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)										

PERMITTEE NAME/ADDRESS

NAME
ADDRESS

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY
LOCATION
ATTN:

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
03	01	01		03	01	01

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TRICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.00023	<0.00029	kg/day	*****	<2.4	<2.4	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.010		*****	26	69			2/month	grab
VINYL CHLORIDE	SAMPLE MEASUREMENT	<0.00037	<0.00050	kg/day	*****	<4.3	<4.3	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	0.008	0.016		*****	52.8	106			weekly	grab
ACENAPHTHYLENE	SAMPLE MEASUREMENT	<0.00009	<0.00011	kg/day	*****	<0.94	<0.94	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(A)ANTHRACENE	SAMPLE MEASUREMENT	<0.00008	<0.00010	kg/day	*****	<0.89	<0.89	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(A)PYRENE	SAMPLE MEASUREMENT	<0.000047	<0.000056	kg/day	*****	<0.48	<0.48	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(ghi)PERYLENE	SAMPLE MEASUREMENT	<0.000053	<0.000063	kg/day	*****	<0.54	<0.54	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(k)FLUORANTHENE	SAMPLE MEASUREMENT	<0.000090	<0.000109	kg/day	*****	<0.92	<0.92	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
NAME/TITLE: PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)				TELEPHONE		DATE			
Dennis J. Duryea, P.E. Area Manager						732 572-4743		01/04/03			
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				AREA CODE	NUMBER	YEAR	MO	DAY	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									

PERMITTEE NAME/ADDRESS
NAME
ADDRESS

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY
LOCATION
ATTN:

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
03	01	01		03	31	01

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
IDENO(1,2,3cd) PYRENE	SAMPLE MEASUREMENT	<0.000057	<0.000069	kg/day	*****	<0.59	<0.59	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
PHENANTHRENE	SAMPLE MEASUREMENT	<0.000049	<0.000067	kg/day	*****	<0.57	<0.57	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	5.4(2)			weekly	grab
ALDRIN	SAMPLE MEASUREMENT	<0.0000049	<0.0000059	kg/day	*****	<0.050	<0.050	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.000133	0.00026		*****	0.0875	0.176			monthly	grab
4,4-DDT	SAMPLE MEASUREMENT	<0.0000087	<0.0000118	kg/day	*****	<0.1	<0.1	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	0.0000578	0.000146		*****	0.38	0.765			weekly	grab
PCB-1242	SAMPLE MEASUREMENT	<0.000026	<0.000035	kg/day	*****	<0.3	<0.3	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
PCB-1248	SAMPLE MEASUREMENT	<0.000026	<0.000035	kg/day	*****	<0.3	<0.3	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
PCB-1254	SAMPLE MEASUREMENT	<0.000026	<0.000035	kg/day	*****	<0.3	<0.3	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)				TELEPHONE		DATE			
Dennis J. Duryea, P.E. Area Manager						732 572-4743		01/04/23			
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				AREA CODE	NUMBER	YEAR	MO	DAY	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									

PERMITTEE NAME/ADDRESS

NAME
ADDRESS

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY
LOCATION
ATTN:

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
03	01	01		03	31	01

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PCB-1260	SAMPLE MEASUREMENT	<0.000026	<0.000035	kg/day	*****	<0.3	<0.3	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
ARSENIC	SAMPLE MEASUREMENT	<0.00087	<0.00118	kg/day	*****	<10	<10	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.013	0.026		*****	85.8	172			weekly	comp
CADMIUM	SAMPLE MEASUREMENT	<0.00043	<0.00059	kg/day	*****	<5.0	<5.0	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.0073	0.017		*****	48.2	112			weekly	comp
CHROMIUM	SAMPLE MEASUREMENT	<0.00087	<0.00118	kg/day	*****	<10	<10	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.030	0.060		*****	198	396			weekly	comp
COPPER	SAMPLE MEASUREMENT	<0.00017	<0.00023	kg/day	*****	<2	<2	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	10			weekly	comp
LEAD	SAMPLE MEASUREMENT	<0.00043	<0.00059	kg/day	*****	<5	<5	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	10			weekly	comp
NICKEL	SAMPLE MEASUREMENT	<0.0034	<0.0047	kg/day	*****	<40	<40	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.140	0.281		*****	924	1850			weekly	comp
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)				TELEPHONE		DATE			
Dennis J. Duryea, P.E. Area Manager						732 572-4743		01/04/23			
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				AREA CODE		NUMBER		YEAR MO DAY	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									

PERMITTEE NAME/ADDRESS

NAME
ADDRESS

FACILITY
LOCATION
ATTN:

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
03	01	01		03	31	01

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
ZINC	SAMPLE MEASUREMENT	<0.0017	<0.0023	kg/day	*****	<20.0	<20.0	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.177	0.356		*****	1170	2350			weekly	comp
CYANIDE	SAMPLE MEASUREMENT	<0.0008	<0.0011	kg/day	*****	<10	<10	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.002	0.004		*****	13.2	26.4			weekly	comp
ALUMINUM	SAMPLE MEASUREMENT	0.0097	0.0160	kg/day	*****	109	136	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	1.40	2.81		*****	9240	18500			weekly	comp
IRON	SAMPLE MEASUREMENT	<0.0087	<0.0118	kg/day	*****	<100	<100	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	80.6	162		*****	592000	1070000			weekly	comp
ACUTE TOXICITY, (LC50)	SAMPLE MEASUREMENT			---	*****	*****	*****	%			
	PERMIT REQUIREMENT	*****	*****		50(3)	*****	*****			see permit	equivalent
Ammonia (as N)	SAMPLE MEASUREMENT			---	*****	0.193	0.479	mg/l		2/Month	comp
	PERMIT REQUIREMENT				*****	4.9	10			2/month	comp
	SAMPLE MEASUREMENT			---	*****	*****	*****			*****	*****
	PERMIT REQUIREMENT	*****	*****		*****	*****	*****			*****	*****
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)					TELEPHONE		DATE		
Dennis J. Duryea, P.E. Area Manager							732 572-4743		01 04 23		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MO	DAY
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									